

#### U-CyTech B.V. Yalelaan 48 3584 CM Utrecht The Netherlands +31 85 073 1460 info@ucytech.com

www.ucytech.com

# Safety data sheet

B cell ELISPOT kit

### (enzymatic staining procedure on PVDF plates)

#### 1. Identification of the product (substance or mixture) and supplier/company

#### 1.1 Product identifiers

Product:B cell ELISPOT kit (enzymatic staining procedure on PVDF membrane-bottomed<br/>plates)Catalogue no.:Please see section 16 for the exact products for which this safety data sheet<br/>(SDS) applies.Brand:U-CyTech biosciencesREACH no.:The components of this product are mixtures. A registration number is not<br/>available for these substances as the substances or their uses are exempted<br/>from registration, the annual tonnage does not require a registration or the<br/>registration is envisaged for a later registration deadline.

#### 1.2 Relevant identified uses of the product and uses advised against

Identified uses: Laboratory chemicals. To be used in U-CyTech ELISPOT systems. For professional (R&D) use only, not for food, drug, household or other uses.

#### 1.3 Details of the supplier of the safety data sheet

Supplier: U-CyTech biosciences Yalelaan 48 3584 CM Utrecht The Netherlands Phone: +31 85 073 1460 E-mail: info@ucytech.com

#### 1.4 Emergency telephone number

Emergency phone: +31 85 073 1460 (only available during office hours CET).

#### 2. Hazard identification

#### 2.1 Classification of the components in this product (substance or mixture)

# AEC stock solution is classified according to Regulation (EC) no. 1272/2008 and its amendments as

Flammable liquid (Category 3): H226: Flammable liquid and vapor. Acute toxicity, Oral (Category 4): H302: Harmful if swallowed. Carcinogenicity (Category 1B): H350: May cause cancer. Skin irritation (Category 2): H315: Causes skin irritation.

Eye irritation (Category 2): H319: Causes serious eye irritation.

SDS B cell ELISPOT kit (PR) Version: 07 Revised at: 12JUN'23





Yalelaan 48 3584 CM Utrecht The Netherlands +31 85 073 1460 info@ucytech.com www.ucytech.com

 Specific target organ toxicity - single exposure (Category 3): H335: May cause respiratory irritation.

#### Dilution buffer R is classified according to Regulation (EC) no. 1272/2008 and its amendments as

Skin sensitization (Category 1): H317: May cause an allergic skin reaction. Chronic aquatic toxicity (Category 3): H412: Harmful to aquatic life with long lasting effects.

Coating antibody, detection antibody, streptavidin-HRP conjugate, R848, recombinant IL-2, recombinant IL-4, anti-CD40 monoclonal antibody, substrate buffer, blocking stock solution and Tween-20 are classified according to Regulation (EC) no. 1272/2008 and its amendments as

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labeling of AEC stock solution according to Regulation (EC) no. 1272/2008 and its amendments

Signal word:	Danger
Hazard statement:	H226: Flammable liquid and vapor.
	H302: Harmful if swallowed.
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H335: May cause respiratory irritation.
	H350: May cause cancer
Precaution statements:	P201: Obtain special instructions before use.
	P210: Keep away from heat, hot surfaces, sparks, open flames and of
	ignition sources. No smoking.
	P261: Avoid breathing dust/fume/gas/mist/vapor/sprays.
	P264: Wash hand and any exposed skin thoroughly after handling
	P280: Wear protective gloves/protective clothing/eye protection/1
	protection.
	P301 + P312 + P330:
	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you unwell. Rinse mouth.
	P332 + P313: If skin irritation occurs: Get medical advice/attention.
	P337 + P313: If eye irritation persists: Get medical advice/attention.
	P305 + P351 + P338:
	IF IN EYES: Rinse continuously with water for several minutes. Rem
	contact lenses if present and easy to do. Continue rinsing.
	P308 + P313:
	IF exposed or concerned: Get medical advice/attention.
Restricted to professiona	al users.



<mark>U-CyTech B.V.</mark> Yalelaan 48	Labeling of dilution buffer R according to Regulation (EC) no. 1272/2008 and its amendments	
3584 CM Utrecht The Netherlands +31 85 073 1460 info@ucytech.com	Pictogram: Signal word:	Warning
www.ucytech.com	Hazard statement(s):	H317: May cause an allergic skin reaction. H412: Harmful to aquatic life with long lasting effects.
	Precaution statement(s):	<ul> <li>P273: Avoid release to the environment.</li> <li>P280: Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P333 + P313: If skin irritation or a rash occurs: Get medical advice/attention.</li> </ul>
		P337 + P313: If eye irritation persists get medical advice/attention.
	Supplemental hazard info	rmation: EUH208: Contains CMIT/MIT. May produce an allergic reaction. EUH210: Safety data sheet available on request.

Labeling of coating antibody, detection antibody, streptavidin-HRP conjugate, recombinant IL-2, R848, recombinant IL-4, anti-CD40 monoclonal antibody, substrate buffer, blocking stock solution and Tween-20 according to Regulation (EC) no. 1272/2008 and its amendments

Not a hazardous substance or mixture.

#### 2.3 Other hazards

AEC stock solution, Tween-20 and dilution buffer R contain no components considered to be either persistent, bio-accumulative and toxic (PBT), or very persistent and very bio-accumulative (vPvB) at levels of 0.1% or higher.

#### 3. Composition/information on ingredients

#### 3.2 Mixtures

Product name: B cell ELISPOT kit (enzymatic staining procedure on PVDF membrane-bottomed plates)

Synonyms:

Components:

Cas no.	EC no.	Index no.	Classification	Concentration
Coating antibody (lyophilized)				
-	-	-	-	-
Detection antibody (biotinylated, lyophilized)				
-	-	-	-	-



Concentration

# U-CyTech B.V.

Cas no.

EC no.

Index no.

Yalelaan 48 3584 CM Utrecht The Netherlands +31 85 073 1460 info@ucytech.com www.ucytech.com

Cas no.	EC IIO.	index no.	Classification	Concentration
Streptavidin	-HRP conjugat	e (lyophilized)		
-	-	-	-	-
Recombinan	t IL-2 (lyophili	zed)		
-	-	-	-	-
R848 (lyoph	ilized; synony	m: resiquimod)		
-	-	-	-	-
Recombinan	t IL-4 (lyophili	zed)*		
-	-	-	-	-
Anti-CD40 m	nonoclonal ant	ibody (lyophiliz	ed)*	
-	-	-	-	-
AEC stock so	olution			
-	-	-	Flam. Liq. 3 (H226); Carc. 1B (H350);	-
			Acute Tox. 4 (H302); Skin Irrit. 2	
			(H315); Eye Irrit. 2 (H319); STOT SE 3	
			(H335)	
Substrate bu	uffer (10x)			
-	-	-	-	-
Blocking sto	ck solution (10	Dx)		
-	-	-	-	-
Dilution buf	fer R (10X)			
-	-	-	Skin Sens. 1 (H317); Aquatic Chronic	-
			3 (H412)	
Tween <sup>®</sup> -20	(C58H114O26)**			
9005-64-5	500-018-3	-	-	100%

Classification

For the full text of the Hazard statements mentioned in this section and (hazardous) ingredients of the components, see section 16 of this SDS.

<sup>\*)</sup> Recombinant IL-4 and anti-CD40 monoclonal antibody are content of the Human IgE B cell ELISPOT kit (cat. no. CT781-PR5) and are not present in the other kits mentioned in section 16. In the Human IgE B cell ELISPOT kit recombinant IL-4 and anti-CD40 monoclonal antibody replaces recombinant IL-2 and R848, which are not present in this kit.

\*\*) Tween is a registered trade mark of Uniqema, a business unit of ICI Americas Inc.

#### 4. First aid measures

#### 4.1 Description of first aid measures

General advice:In case of skin or eye irritation, if breathing becomes difficult or feeling<br/>unwell or concerned, consult physician and show this SDS.

After contact with skin: AEC stock solution: Remove contaminated clothing and shoes. Wash contaminated area with water / shower. Consult a physician.



U-CyTech B.V. Yalelaan 48 3584 CM Utrecht		Dilution buffer R: Remove contaminated clothing and shoes. Wash contaminated area with water / shower. In case of skin irritation, consult a physician.	
The Netherlands +31 85 073 1460 info@ucytech.com		Other components: Remove contaminated clothing and shoes. Wash contaminated area with water / shower.	
www.ucytech.com	After swallowing:	AEC stock solution and dilution buffer R: Do NOT induce vomiting. If the person is conscious rinse mouth with water. Consult a physician immediately.	
		Other components: If the person is conscious, rinse mouth with plenty of water and make the person drink water (two glasses at most). Consult a physician if not feeling well.	
	After contact with eyes:	Rinse continuously with plenty of water for several minutes. Confirm adequate flushing by separating the eyelids. Remove contact lenses if present and easy to do - continue rinsing. Consult an ophthalmologist.	
	After inhalation:	Provide fresh air. If breathing becomes difficult, consult a physician.	
	4.2 Most important symptoms and effects, both acute and delayed		

The most important known symptoms and effects are described in section 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further data available. Note to physician: treat symptomatically.

#### 5. Fire-fighting measures

#### 5.1 Extinguishing media

•

Suitable extinguishing media:	Water spray, foam, carbon dioxide ( $CO_2$ ), dry powder. Water
	mist may be used to cool closed containers.

Unsuitable extinguishing media: AEC stock solution: Do NOT use water jet.

Other components: no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from substance or mixture

Hazardous combustion products:

- Tween-20: Carbon oxides. Development of hazardous combustion gases or vapor possible in event of fire. Vapor is heavier than air and may spread along floors.
- AEC stock solution: Carbon oxides, nitrogen oxides. Combustible. Development of hazardous combustion gases or vapor possible in the event of fire. Vapor may form explosive mixtures with air.
- Substrate buffer: Carbon oxides, sodium oxides. Not combustible. Ambient fire may libate hazardous vapor. Suppress (knock down) gases/vapor/mists with a water spray jet.

Other components: No data available.



Yalelaan 48 3584 CM Utrecht The Netherlands +31 85 073 1460 info@ucytech.com www.ucytech.com

#### 5.3 Advice for fire fighters

Stay in danger area only with self-contained breathing apparatus and protective clothing.

#### 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment to avoid exposure (section 8). Follow general safety rules for laboratories. Evacuate personnel to safe areas in case of an emergency.

AEC stock solution: Avoid breathing vapor, mist or gas. Ensure adequate ventilation. Remove all sources of ignition.

#### 6.2 Environmental precautions

Do not let mixtures enter surface water, (sub)soil or drains. Prevent further leakage if safe to do so. If large amounts of the mixtures contaminate drains, inform appropriate authorities in accordance with local regulation.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Contain spillage. Observe possible material restrictions (sections 7 and 10).

Coating antibody, detection antibody, streptavidin-HRP conjugate, recombinant IL-2, recombinant IL-4, anti-CD40 monoclonal antibody:

Take up dry. Dispose of properly (section 13). Clean up affected area. Avoid generation of dust.

Other components (and above-mentioned components when reconstituted):

Take up with inert absorbent material and keep in suitable, closed containers for disposal (section 13).

#### 7. Handling and storage

#### 7.1 Precautions for safe handling

Safe handling: For laboratory use only. Ensure adequate ventilation. Handle and open containers with care. Always close containers tightly after removal of product.

AEC stock solution: work under hood. Avoid contact with skin, eyes and clothing. Avoid inhalation of vapor or mist. Keep away from sources of ignition. Take measures to prevent electrostatic discharges.

Dilution buffer R: Avoid formation of aerosols. Avoid exposure.

Hygiene measures: Follow general safety rules for laboratories. Wear personal protective equipment to avoid (prolonged or repeated) exposure (section 2.2 and 8). Immediately change contaminated clothing. Wash hands before breaks and after work.



#### 7.2 Conditions for safe storage, including any incompatibilities

Yalelaan 48 3584 CM Utrecht The Netherlands +31 85 073 1460 info@ucytech.com www.ucytech.com

U-CyTech B.V.

Safe storage: Store product in a well-ventilated place. Keep containers tightly closed and upright to prevent leakage.

AEC stock solution: Store at -20°C. Keep away from light and heat.

Streptavidin-HRP conjugate and R848: Store at -20°C. Keep away from light.

Recombinant IL-2 and recombinant IL-4: Store at -20°C.

Tween-20: Store at ambient temperature: 20-26 °C. Keep away from light.

Other components: Store at 2-8 °C.

#### 7.3 Specific end use(s)

Use in laboratories.

#### 8. Exposure controls/personal protection

#### 8.1 Control parameters

These mixtures do not contain substances above concentration limits fixing an occupational exposure limit.

#### 8.2 Exposure controls

#### General protective and hygiene measures

Facilities storing or utilizing this product should be equipped with an eyewash facility, a safety shower and mechanical exhaust. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of the workday. Immediately change contaminated clothing. Keep away from food and beverages.

#### Personal protective equipment

#### Eye protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166 (EU). Use tightly fitting safety goggles.

#### Skin and body protection

Wear appropriate protective gloves and a lab coat to prevent skin exposure.

Protective gloves must satisfy the specifications of Regulation (EU) 2016/425 and the standard EN374 derived from it. Observe the instructions regarding permeability and breakthrough time which are provided by the suppliers of the gloves. Make sure the gloves are suitable for the task regarding chemical compatibility, dexterity, operational conditions and user susceptibility (e.g. sensation effects). Take also the specific local conditions under which the product is used into consideration (e.g. danger of cuts).

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.



Yalelaan 48 3584 CM Utrecht The Netherlands +31 85 073 1460 info@ucytech.com www.ucytech.com

This recommendation applies only to the product stated in this SDS and for the designed use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves.

#### Respiratory protection

Required when aerosols are generated, when workers are facing concentrations above the exposure limits or where risk assessment shows air-purifying respirators are appropriate. Use respirators and components tested and approved under appropriate government standards such as NIOHS (US) or CEN (EU).

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly.

#### Control of environmental expose

Do not let mixtures enter drains.

#### 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

<u>Coating antibody, detection antibody, streptavidin-HRP conjugate, recombinant IL-2,</u> recombinant IL-4 and anti-CD40 monoclonal antibody:

recombinant IL-4 and anti-CD40 monocional anti	<u>body:</u>
A. Appearance (at 20 °C):	Solid, white (lyophilized).
B. Odor:	No data available.
C. Odor threshold:	No data available.
D. pH (at 20°C):	No data available.
E. Melting/freezing point:	No data available.
F. Initial boiling and boiling range:	No data available.
G. Flash point:	No data available.
H. Evaporation rate:	No data available.
I. Flammability (solid, gas):	No data available.
J. Upper/lower flammability or explosive limits:	No data available.
K. Vapor pressure:	No data available.
L. Vapor density:	No data available.
M. Relative density:	No data available.
N. Solubility(ies):	Soluble in water.
0. Partition coefficient: n-octanol/water:	No data available.
P. Auto-ignition temperature:	No data available.
Q. Decomposition temperature:	No data available.
R. Viscosity:	No data available.
S. Explosive properties:	No data available.
T. Oxidizing properties:	No data available.
<u>R848:</u>	

A. Appearance (at 20 °C):Colorless liquid (transparent).B. Odor:No data available.C. Odor threshold:No data available.D. pH (at 20°C):No data available.

SDS B cell ELISPOT kit (PR) Version: 07 Revised at: 12JUN'23



U-CyTech B.V.	E. Melting/freezing point:	No data available.
Yalelaan 48	F. Initial boiling and boiling range:	No data available.
3584 CM Utrecht	G. Flash point:	No data available.
The Netherlands	H. Evaporation rate:	No data available.
+31 85 073 1460 info@ucytech.com	I. Flammability (solid, gas):	No data available.
www.ucytech.com	J. Upper/lower flammability or explosive limits:	No data available.
,	K. Vapor pressure:	No data available.
	L. Vapor density:	No data available.
	M. Relative density:	No data available.
	N. Solubility(ies):	Does not apply, mixture is an aqueous solution.
	O. Partition coefficient: n-octanol/water:	No data available.
	P. Auto-ignition temperature:	No data available.
	Q. Decomposition temperature:	No data available.
	R. Viscosity:	No data available.
	S. Explosive properties:	No data available.
	T. Oxidizing properties:	No data available.
	AEC stock solution:	
	A. Appearance (at 20 °C):	Ochre liquid (transparent).
	B. Odor:	No data available.
	C. Odor threshold:	No data available.
	D. pH (at 20°C):	No data available.
	E. Melting/freezing point:	No data available.
	F. Initial boiling and boiling range:	No data available (N,N-diethylformamide: 176-177 °C).
	G. Flash point:	No data available (N,N-diethylformamide: 60 °C).
	H. Evaporation rate:	No data available.
	I. Flammability (solid, gas):	No data available.
	J. Upper/lower flammability or explosive limits:	
	K. Vapor pressure:	No data available.
	L. Vapor density:	No data available.
•	M. Relative density:	No data available.
	N. Solubility(ies):	No data available.
	O. Partition coefficient: n-octanol/water:	No data available.
	P. Auto-ignition temperature:	No data available.
•	Q. Decomposition temperature:	No data available.
	R. Viscosity:	No data available.
•	S. Explosive properties:	No data available.
• •	T. Oxidizing properties:	No data available.
	J. J	
	Substrate buffer:	
	A. Appearance (at 20 °C):	Colorless liquid (transparent).
	B. Odor:	No data available.
	C. Odor threshold:	No data available.
• • •	D. pH (at 20°C):	No data available.
• • •	E. Melting/freezing point:	No data available.
• • •	F. Initial boiling and boiling range:	No data available.
	G. Flash point:	Does not apply.
		499.9.
		page Q of 22

SDS B cell ELISPOT kit (PR) Version: 07 Revised at: 12JUN'23



U-CyTech B.V.	H. Evaporation rate:	No data available.
Yalelaan 48 3584 CM Utrecht	I. Flammability (solid, gas):	No data available.
The Netherlands	J. Upper/lower flammability or explosive limits:	
+31 85 073 1460	K. Vapor pressure:	No data available.
info@ucytech.com	L. Vapor density:	No data available.
www.ucytech.com	M. Relative density:	No data available.
	N. Solubility(ies):	Does not apply, mixture is an aqueous solution.
	O. Partition coefficient: n-octanol/water:	No data available.
	P. Auto-ignition temperature:	Does not apply.
	Q. Decomposition temperature:	No data available.
	R. Viscosity:	No data available.
	S. Explosive properties:	Does not apply, mixture is not explosive.
	T. Oxidizing properties:	No data available.
	Blocking stock solution:	
	A. Appearance (at 20 °C):	Light yellow liquid (transparent).
	B. Odor:	No data available.
	C. Odor threshold:	No data available.
	D. pH (at 20°C):	No data available.
	E. Melting/freezing point:	No data available.
	F. Initial boiling and boiling range:	No data available.
	G. Flash point:	No data available.
	H. Evaporation rate:	No data available.
	I. Flammability (solid, gas):	No data available.
	J. Upper/lower flammability or explosive limits:	
	K. Vapor pressure:	No data available.
	L. Vapor density:	No data available.
	M. Relative density:	No data available.
	N. Solubility(ies):	
	0. Partition coefficient: n-octanol/water:	Does not apply, mixture is an aqueous solution. No data available.
	P. Auto-ignition temperature:	No data available.
	Q. Decomposition temperature:	No data available. No data available.
	R. Viscosity:	No data available.
• •	S. Explosive properties:	No data available.
	T. Oxidizing properties:	No data avallable.
• •	Dilution buffer R:	
• •	A. Appearance (at 20 °C):	Light yellow liquid (transparent) (at 20 °C).
• •	B. Odor:	Odorless.
	C. Odor threshold:	Does not apply, mixture is odorless.
	D. pH (at 20°C):	7.2 ± 0.2
	E. Melting/freezing point:	No data available.
	F. Initial boiling and boiling range:	No data available.
• • •	G. Flash point:	No data available.
• • •	H. Evaporation rate:	No data available.
	I. Flammability (solid, gas):	Does not apply.
	J. Upper/lower flammability or explosive limits:	



U-CyTech B.V.	K. Vapor pressure:	No data available.
Yalelaan 48	L. Vapor density:	No data available.
3584 CM Utrecht	M. Relative density:	1.1 (at 20 °C).
The Netherlands	N. Solubility(ies):	Does not apply, mixture is an aqueous solution.
+31 85 073 1460 info@ucytech.com	O. Partition coefficient: n-octanol/water:	No data available.
www.ucytech.com	P. Auto-ignition temperature:	No data available.
,	Q. Decomposition temperature:	No data available.
	R. Viscosity:	No data available.
	S. Explosive properties:	Does not apply, mixture is not explosive.
	T. Oxidizing properties:	None.
	Tween-20:	
	A. Appearance (at 20 °C):	Yellow liquid (viscous).
	B. Odor:	Odorless.
	C. Odor threshold:	No data available.
	D. pH (at 20°C):	7.
	E. Melting/freezing point:	Melting point: 98.9 °C.
	F. Initial boiling and boiling range:	> 100 °C.
	G. Flash point:	275 °C at ca. 1,013 hPa.
	H. Evaporation rate:	No data available.
	I. Flammability (solid, gas):	No data available.
	J. Upper/lower flammability or explosive limits:	No data available.
	K. Vapor pressure:	< 1.4 hPa at 20 °C.
	L. Vapor density:	No data available.
	M. Relative density:	1,095 g/ml at 25 °C.
	N. Solubility(ies):	In water: 0.0002 g/l at 20 °C.
	O. Partition coefficient: n-octanol/water:	No data available.
	P. Auto-ignition temperature:	No data available.
	Q. Decomposition temperature:	No data available.
	R. Viscosity:	No data available.
•	S. Explosive properties:	No data available.
•	T. Oxidizing properties:	No data available.

#### 9.2 Other information

No additional information relevant to safe use of the mixtures.

#### 10. Stability and reactivity

#### 10.1 Reactivity

Tween-20 forms explosive mixtures with air on intense heating. A range from approximately 15 Kelvin below the flash point is to be rated as critical.

Other components: no specific test data related to reactivity available for these mixtures or their ingredients.



#### U-CyTech B.V. 10.2 Chemical stability

Yalelaan 48 3584 CM Utrecht The Netherlands +31 85 073 1460 info@ucytech.com www.ucytech.com

The mixtures are chemically stable under recommended conditions of storage, use and temperature.

#### 10.3 Possibility of hazardous reactions

AEC stock solution: No data available.

Dilution buffer R: Violent reactions possible with the generally known reaction partners of water.
 Other components: No hazardous reaction when handled and stored according to recommended conditions of storage, use and temperature.

#### 10.4 Conditions to avoid

AEC stock solution: Keep away from: open flames, hot surfaces, sources of ignition and incompatible products.
 Tween-20: Strong heating.
 Dilution buffer R: No specific conditions to avoid.

Other components: No data available.

#### 10.5 Incompatible materials

AEC stock solution:	Strong oxidizing agents.
Tween-20:	Strong oxidizing agents.
Other components:	No data available.

#### 10.6 Hazardous decomposition products

AEC stock solution:	Nitrogen oxides, carbon monoxide, carbon dioxide.
Substrate buffer:	Ambient fire may libate hazardous vapor.
Tween-20:	Hazardous decomposition products formed under fire conditions - carbon
	oxides.
Other components:	Does not decompose when used for intended uses (section 1.2).

#### 11. Toxicological information

#### 11.1 Information on toxicological effects

Acute toxicity:	LD50 oral - rat - 38,900 mg/kg.
	LD50 inhalation - rat - male and female - 4h - >5.1 mg/l.
Skin corrosion/irritation:	Skin - rabbit - result: no skin irritation - 4h.
Serous eye damage/irritation:	No data available.
Respiratory/skin sensitization:	Guinea pig: does not cause skin sensitization.
Germ cell mutagenicity:	Ames test - Escherichia coli/Salmonella typhimurium - result negative.
Carcinogenicity:	No component of this ingredient is present at levels higher than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
Reproductive toxicity:	No data available.



Yalelaan 48 3584 CM Utrecht The Netherlands +31 85 073 1460 info@ucytech.com www.ucytech.com

•••

Aspiration hazard:

No data available.

#### Other mixtures

Acute toxicity:	No data available.
Skin corrosion/irritation:	No data available.
Serous eye damage/irritation:	No data available.
Respiratory/skin sensitization:	No data available.
Germ cell mutagenicity:	No data available.
Carcinogenicity:	No data available.
Reproductive toxicity:	No data available.
Specific target organ toxicity (	single and repeated): No data available.
Aspiration hazard:	No data available.

#### 11.2 Additional information

Signs and symptoms of exposure:

To the best of our knowledge, the chemical, physical and toxicological properties have not been thoroughly investigated.

#### Potential health effects AEC stock solution:

Inhalation: May be harmful if inhaled and may cause respiratory tract irritation.

Skin: May be harmful if absorbed through skin and causes skin irritation.

Eyes: Causes serious eye irritation.

Ingestion: Harmful if swallowed.

Further hazardous properties cannot be excluded. The product should be handled with the care usual when dealing with chemicals.

Potential he	Potential health effects other components:		
Inhalation:	May be harmful if inhaled and may cause respiratory tract irritation.		
Skin:	May be harmful if absorbed through skin and may cause skin irritation.		
Eyes:	May cause eye irritation.		
Ingestion:	May be harmful if swallowed.		
Hazardous p	properties cannot be excluded but are unlikely when the product is handled with the		
care usual v	vhen dealing with chemicals.		

(Hazardous) ingredients of AEC stock solution (see	ection 16):
--	-------------

3-Amino-9-ethylcarbazole (AEC	2):
Acute toxicity:	LD50 oral - rat - 144 mg/kg.
Skin corrosion/irritation:	No data available.
Serous eye damage/irritation:	No data available.
Respiratory/skin sensitization:	No data available
Germ cell mutagenicity:	No data available.
Carcinogenicity:	Category 1B - May cause cancer.
Reproductive toxicity:	No data available.
Specific target organ toxicity (	single and repeated): No data available.
Aspiration hazard:	No data available.

# U-CyTech biosciences

11-0	/Tech	RV
0-01	recii	D. v.

Yalelaan 48 3584 CM Utrecht The Netherlands +31 85 073 1460 info@ucytech.com www.ucytech.com

Additional information: The ingredient does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

	N,N-Diethylformamide:		
	Acute toxicity:	No data available.	
	Skin corrosion/irritation:	No data available.	
	Serous eye damage/irritation:	Category 2 - Causes skin irritation.	
	Respiratory/skin sensitization:	Category 2 - Causes serious eye irritation.	
	Germ cell mutagenicity:	No data available.	
Carcinogenicity:		No component of this ingredient is present at levels higher than or	
		equal to 0.1\% is identified as probable, possible or confirmed	
		human carcinogen by IARC.	
	Reproductive toxicity:	No data available.	
Specific target organ toxicity (single): Category 3 - Inhalation - May cause respiratory irritation.		(single): Category 3 - Inhalation - May cause respiratory irritation.	
	Specific target organ toxicity (repeated): No data available.		
	Aspiration hazard:	No data available.	
	Additional information:	RTECS: LQ1925000.	

(Hazardous) ingredients of coating antibody, detection antibody, streptavidin-HRP conjugate, recombinant IL-2, recombinant IL-4 and anti-CD40 monoclonal antibody (section 16):

Proteins (antibodies, streptavidin - horseradish peroxidase polymer or cytokines) and phosphatebuffered saline:

	buildidu satinc.	
	Acute toxicity:	There is no evidence available indicating acute toxicity.
	Skin corrosion/irritation:	No data available.
	Serous eye damage/irritation:	No data available.
	Respiratory/skin sensitization:	No data available.
	Germ cell mutagenicity:	No data available.
	Carcinogenicity:	No data available.
	Reproductive toxicity:	No data available.
	Specific target organ toxicity (	(single and repeated): No data available.
	Aspiration hazard:	No data available.
	Serum albumin (this ingredien	t is no part of coating antibody):
	Acute toxicity:	No data available.
	Skin corrosion/irritation:	No data available.
	Serous eye damage/irritation:	No data available.
•	Respiratory/skin sensitization:	No data available.
	Germ cell mutagenicity:	No data available.
	Carcinogenicity:	No component of this ingredient is present at levels higher than or
		equal to 0.1% is identified as probable, possible or confirmed
		human carcinogen by IARC.
	Reproductive toxicity:	No data available.
	Specific target organ toxicity (	(single and repeated): No data available.
•		
	SDS B cell ELISPOT kit (PR)	page 14 of 22



<mark>U-CyTech B.V.</mark> Yalelaan 48	Aspiration hazard:	No data available.
3584 CM Utrecht The Netherlands +31 85 073 1460 info@ucytech.com www.ucytech.com	Trehalose, dihydrate: Acute toxicity: Skin corrosion/irritation: Serous eye damage/irritation: Respiratory/skin sensitization: Germ cell mutagenicity:	In vitro mammalian cell gene mutation test - Chinese hamster fibroblast - with and without metabolic activation - result: negative. Mammalian bone marrow sister chromatid exchange - mouse -
	Carcinogenicity:	result: negative. No data available.
	Reproductive toxicity:	No data available.
	,	single and repeated): No data available.
	Aspiration hazard:	No data available.
	(Hazardous) ingredients of R84	8 (section 16):
	R848 (synonym: resiquimod):	
	Acute toxicity:	No data available.
	Skin corrosion/irritation:	No data available.
	Serous eye damage/irritation:	No data available.
	Respiratory/skin sensitization:	No data available.

Respiratory/skin sensitization.	NU Uala available.
Germ cell mutagenicity:	No data available.
Carcinogenicity:	No component of this ingredier

Carcinogenicity:	No component of this ingredient is present at levels higher than or		
	equal to 0.1% is identified as probable, possible or confirmed		
	human carcinogen by IARC.		
Reproductive toxicity:	No data available.		

Specific target (	organ toxicity (sing	le and repeated): No	n data available
Specific turget v	organ concrety (sing	ie und repeated). He	autu uruntubic.

Aspiration hazard:No data available.Additional information:RTECS: LQ1925000.

Dimethyl sulfoxide:

• •

Acute toxicity:	LD50 oral - rat - male and female - 28,300 mg/kg.
	LD50 inhalation - rat - male and female - 4h - 5.33 mg/l.
	LD50 dermal rat - male and female - 40,000 mg/kg.
Skin corrosion/irritation:	Skin - rabbit: result: slight skin irritation (4h).
Serous eye damage/irritation:	Eyes - rabbit: result: slight eye irritation (24h).
Respiratory/skin sensitization:	Guinea pig: does not cause skin sensitization.
Germ cell mutagenicity:	Ames test - Salmonella typhimurium - result: negative.
Carcinogenicity:	No data available.
Reproductive toxicity:	No data available.
Specific target organ toxicity (	single and repeated): No data available.
Aspiration hazard:	No data available.



Yalelaan 48 3584 CM Utrecht The Netherlands +31 85 073 1460 info@ucytech.com www.ucytech.com

•

#### Additional information:

Repeated dose toxicity: monkey - male and female - dermal - 18 months - no observed adverse effect level - 3,300 mg/kg / lowest observed effect level - 990 mg/kg.

Phosphate-buffered saline:	
Acute toxicity:	There is no evidence available indicating acute toxicity.
Skin corrosion/irritation:	No data available.
Serous eye damage/irritation:	No data available.
Respiratory/skin sensitization:	No data available.
Germ cell mutagenicity:	No data available.
Carcinogenicity:	No data available.
Reproductive toxicity:	No data available.
Specific target organ toxicity (	single and repeated): No data available.
Aspiration hazard:	No data available.


#### (Hazardous) ingredients of blocking stock solution (section 16):

Streptomycin sulfate:	
Acute toxicity:	LD50 oral - rat - 430 mg/kg.
Skin corrosion/irritation:	No data available.
Serous eye damage/irritation:	No data available.
Respiratory/skin sensitization:	No data available.
Germ cell mutagenicity:	No data available.
Carcinogenicity:	No component of this ingredient is present at levels higher than or equal to $0.1\%$ is identified as probable, possible or confirmed
	human carcinogen by IARC.
Reproductive toxicity:	May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility.
Specific target organ toxicity	(single and repeated): No data available.
Aspiration hazard:	No data available.
(Hazardous) ingredients of dilu Proclin 300:	<u>ation burler k (section 10).</u>
Acute toxicity:	LD50 oral - rat - 53 mg/kg.
Skin corrosion/irritation:	Skin - rabbit: result: corrosive.
Serous eye damage/irritation:	Eyes - rabbit: result: corrosive.
Respiratory/skin sensitization:	Guinea pig: may cause sensitization by skin contact. Ingredient may cause an allergic skin reaction.
Germ cell mutagenicity:	No data available.
Carcinogenicity:	No data available.
Reproductive toxicity:	No data available.
	(single and repeated): No data available.
Aspiration hazard:	No data available.



U-CyTech B.V.	12. Ecological information	
Yalelaan 48		
3584 CM Utrecht	Mixtures	
The Netherlands	12.1 Toxicity:	
+31 85 073 1460	Tween-20: LL50 - Danio rerio (z	ebra fish) - >100 mg/ml - 96h.
info@ucytech.com	EC50 - Daphnia (wat	er flea) - >10 mg/l - 48h.
www.ucytech.com	EC50 - Bacteria - 14	6-774 mg/l - 5 min.
	Other components: No data avai	lable.
	12.2 Persistence and degradability:	
	Tween-20: Aerobic - exposure t	ime 28d - result: >60% - readily biodegradable.
	Other components: No data avai	
	12.3 Bio-accumulative potential:	No data available.
	12.4 Mobility in soil:	No data available.
	12.5 Results of PBT and vPvB assess	
	-	-
	AEC stock solution, substrate bu	
	levels of 0.1% or higher.	s no components considered to be either PBT or vPvB at
	Other components: No data avai	lable.
	12.6 Other adverse effects:	No data available.
	Ingredient coating antibody, detecti	on antibody, streptavidin-HRP conjugate recombinant IL-2,
	recombinant IL-4 and anti-CD40 mono	clonal antibody:
	Toxicity Trehalose, dihydrate:	
	Static test EC50 - Daphnia magna	(water flea) - >100 mg/l - 48h
	Static test ErC50 - Desmodesmus s	unspicatus (green algae) - 30.41 mg/l - 72h
	Biodegradability ingredient Trehalose	
	Aerobic - exposure time 28d	· •
•		criterion is not fulfilled. (anhydrous substance)
•		
	Ingredient R848:	
•	Toxicity Dimethyl sulfoxide:	
	Static test LD50 - Danio rerio (zeb	ra fish) - >25,000 mg/l - 96h
	Static test EC50 - Daphnia magna	(water flea) - 24,600 mg/l - 48h
	Static test ErC50 - Pseudokirchner	iella subcapitata (green algae) - 17,000 mg/l - 72h
• •	Biodegradability ingredient Dimethyl	sulfoxide:
• •		ılt: 31% - not readily biodegradable
• •		
• •	13. Disposal considerations	
• •	13. Disposal considerations	
	13.1 Waste treatment methods	
• • •	Products: The generation of waste	should be avoided or minimized wherever possible.
	Waste material must	be disposed in accordance with local, regional and
• • •		ons. Do not let products enter drains.
	_	solution is classified as hazardous: offer surplus and non-
	recyclable solution to lice	-
	Packaging: Dispose of as unused proc	
• • •		
	SDS B cell ELISPOT kit (PR)	page 17 of 22
• • •	Version: 07 Revised at: 12JUN'23	







#### U-CyTech B.V. 16. Other information

Yalelaan 48 3584 CM Utrecht The Netherlands +31 85 073 1460 info@ucytech.com www.ucytech.com

#### This SDS applies to the following U-CyTech B cell ELISPOT kits

Analyte	Human	Old World Monkey	Mouse
lgG	CT780-PR5	CT785-PR5	CT790-PR5
lgG1			CT791-PR5
lgG <sub>2a</sub>			CT792-PR5
lgG <sub>2b</sub>			CT793-PR5
lgE	CT781-PR5*		

\*) The Human IgE B cell ELISPOT kit (cat. no. CT781-PR5) does not contain recombinant IL-2 and R848. In the Human IgE B cell ELISPOT kits recombinant IL-4 and anti-CD40 antibody replace recombinant IL-2 and R848.

#### Specific (hazardous) ingredients of the components in this product

• Coating antibody, detection antibody, streptavidin-HRP conjugate, recombinant IL-2, recombinant IL-4\*, anti-CD40 antibody\* - items are lyophilized, when reconstituted:

Cas no.	EC no.	Index no.	Classification	Concentration
Proteins (an respectively)	tibodies, stro	eptavidin -	horseradish peroxidase polymo	er or cytokines
-	-	-	-	< 1% (v/v)
Serum album	in (this ingred	ient is no pai	rt of coating antibody)	
9048-46-8	232-936-2	-	-	1% (w/v)
Trehalose, di	hydrate (C12H	22 <b>0</b> 11 • 2H2O	)	
6138-23-4	202-739-6	-	-	< 5% (w/v)
Phosphate-bu	Iffered saline	(PBS)		
-	-	-	-	> 90% (v/v)

\*) Recombinant IL-4 and anti-CD40 antibody are content of the Human IgE B cell ELISPOT kit (cat. no. CT781-PR5) and not present in the other kits mentioned in section 16. This kit (cat. no. CT781-PR5) does not contain recombinant IL-2 and R848.

R848:

.

Cas no.	EC no.	Index no.	Classification	Concentration
R848 (synony	m: resiquimo	d; C17H22N4O	2)	
144875-48-9	-	-	-	0.1% (w/v)
Dimethyl sulf	oxide (C <sub>2</sub> H <sub>6</sub> OS	5)		
67-68-5	200-664-3	-	-	1% (v/v)
Phosphate-bu	Iffered saline	(PBS)		
-	-	-	-	> 95% (v/v)



#### ٠

Yalelaan 48 3584 CM Utrecht The Netherlands +31 85 073 1460 info@ucytech.com www.ucytech.com

U-CyTech B.V.

ion:

Cas no.	EC no.	Index no.	Classification	Concentration
Streptomycin	sulfate			
3810-74-0	223-286-0	-	Acute Tox. 4 (H302); Repr. 2	0.007-0.021%
			(H361)	(v/v)

No further components need to be disclosed according to the applicable regulations.

Substrate buffer: ٠

No components need to be disclosed according to the applicable regulations.

Dilution buffer R: ٠

Cas no.	EC no.	Index no.	Classification	Concentration
Proclin 300				
(mixture of:				
CMIT/MIT: 5-c	hloro-2-methy	l-4-isothiazolin-	3-one and 2-methyl-2H-isothiazol-3-	one [3:1])
55965-84-9	911-418-6	613-167-00-5	Acute Tox. 2 (H310, H330),	0.0273% (w/w)
			Acute Tox. 3 (H301), Skin Corr.	
			1C (H314), Eye Dam. 1 (H318),	
			Skin Sens. 1A (H317), Aquatic	
			Acute 1 (H400), Aquatic Chronic	
			1 (H410)	
			Concentration limits:	
			≥ 0.6%: Skin Corr. 1C, H314	
			≥ 0.06% - < 0.6%: Skin Irrit. 2,	
			H315	
			≥ 0.0015% - < 0.06%: Skin Sens.	
			1A, H317	
			≥ 0.6%: Eye Dam. 1, H318	
			≥ 0.06% - < 0.6%: Eye Irrit. 2,	
			H319	
			M-factor:	
			Aquatic Acute: 100	
			Aquatic Chronic: 100	

Proclin is a registered trade mark of Rohn and Haas Company.

No further components need to be disclosed according to the applicable regulations.





U-CyTech B.V. • AEC sto

Yalelaan 48 3584 CM Utrecht The Netherlands +31 85 073 1460 info@ucytech.com www.ucytech.com

#### AEC stock solution:

Cas no.	EC no.	Index no.	Classification	Concentration		
3-Amino-9-et	hylcarbazole	(AEC) (C14H14N2)				
132-32-1	205-057-7	612-280-00-7	Acute Tox. 3 (H301); Carc. 1B (H350)	1% (w/v)		
N,N-Diethylfo	N,N-Diethylformamide (C <sub>5</sub> H <sub>11</sub> NO)					
617-84-5	210-533-2	-	Flam. Liq. 3 (H226); Skin Irrit. 2 (H315); Eye Irrit. 2 (H319); STOT SE 3 (H335)	99%		

**Reason for revision:** Adjustments in section 2 and 16.

cute aquatic toxicity hronic aquatic toxicity arcinogenicity ye damage ye irritation lammable liquids eproductive toxicity kin corrosion kin irritation kin sensitization pecific target organ toxicity - single exposure lammable liquid and vapor oxic if swallowed
arcinogenicity ye damage ye irritation lammable liquids eproductive toxicity kin corrosion kin irritation kin sensitization pecific target organ toxicity - single exposure lammable liquid and vapor oxic if swallowed
ye damage ye irritation lammable liquids eproductive toxicity kin corrosion kin irritation kin sensitization pecific target organ toxicity - single exposure lammable liquid and vapor oxic if swallowed larmful if swallowed
ye irritation lammable liquids eproductive toxicity kin corrosion kin irritation kin sensitization pecific target organ toxicity - single exposure lammable liquid and vapor foxic if swallowed larmful if swallowed
lammable liquids eproductive toxicity kin corrosion kin irritation kin sensitization pecific target organ toxicity - single exposure lammable liquid and vapor ioxic if swallowed larmful if swallowed
eproductive toxicity kin corrosion kin irritation kin sensitization pecific target organ toxicity - single exposure lammable liquid and vapor oxic if swallowed larmful if swallowed
kin corrosion kin irritation kin sensitization pecific target organ toxicity - single exposure lammable liquid and vapor oxic if swallowed larmful if swallowed
kin irritation kin sensitization pecific target organ toxicity - single exposure lammable liquid and vapor foxic if swallowed larmful if swallowed
kin sensitization pecific target organ toxicity - single exposure lammable liquid and vapor oxic if swallowed larmful if swallowed
pecific target organ toxicity - single exposure lammable liquid and vapor oxic if swallowed larmful if swallowed
lammable liquid and vapor oxic if swallowed larmful if swallowed
oxic if swallowed armful if swallowed
armful if swallowed
atal in contact with skin
auses severe skin burns and eye damage
auses skin irritation
ay cause allergic skin reaction
auses serious eye damage
auses serious eye irritation
atal if inhaled
ay cause respiratory irritation
lay cause cancer
uspected of damaging fertility or the unborn child
ery toxic to aquatic life
ery toxic to aquatic life with long lasting effects
acronyms:
-9-ethylcarbazole
n Agreement concerning the International Carriage of Dangerous Goods by
/aterways
n Agreement concerning the International Carriage of Dangerous Goods by Road



SDS B cell ELISPOT kit (PR) Version: 07 Revised at: 12JUN'23



•			
•	•		
•	•		
•	• • •	•	
•	•	• • •	
•	•	•	

3584 CM Utrecht

www.ucytech.com

#### U-CyTech B.V. CAS: Chemical Abstract Service

- Yalelaan 48 CE: Conformité Européenne
  - CEN: European Committee for Standardization
- The Netherlands CET: Central European Time
- info@ucytech.com CMIT/MIT: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one
  - EC: European Commission
    - EC50: Effective concentration, 50%
    - EC no: European Chemical number
    - EQ: Excepted quantities
    - ErC50: Concentration with 50% reduction in growth rate
    - EU: European Union
    - IARC: International Agency for Research on Cancer
    - IATA: International Air Transport Association
    - IBC code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in bulk
    - Ig: Immunoglobulin
    - IMDG: International Maritime Dangerous Goods
    - LD50: Lethal dose, 50%
    - LL50: Lethal load, 50%
    - LQ: Limited quantities
    - Marpol: Marine Pollution
    - M-factor: multiplication factor
    - NIOSH: National Institute for Occupational Safety & Health
    - No: Number
    - N.O.S.: Not otherwise specified
    - PBS: Phosphate buffered saline
    - PBT: Persistent, bio-accumulative and toxic
    - R&D: Research & Development
  - REACH: Registration, Evaluation, Authorization and restriction of Chemicals
  - RTECS: Registry of Toxic Effects of Chemical Substances
  - RID: Regulations concerning the International Carriage of Dangerous Goods by Rail
  - SDS: Safety data sheet
  - UN: United Nations
  - US: United States
  - WGK: German Water Endangerment Class
  - vPvB: Very persistent and very bio-accumulative

#### Further information

The information provided in this SDS is to the best of our knowledge and present information. The information is described as a guidance for safe handling and is not considered a warranty or quality specification. The information is only applicable to the described products and may not be valid for such products used in combination with any other products, materials or in any process, unless specified in the text. U-CyTech B.V. shall not be held liable for any damage resulting from handling or from contact with the above products.

See www.ucytech.com/terms for additional terms and conditions of sale and delivery.